PRODUCT SPECIFICATIONS DC 16

Edic.: 03



PRODUCT: ESPERMAPLUS 5kg

REV. (yymmdd): 230718 **REFERENCE:** BLT004056

GENERAL CHARACTERISTICS

DESCRIPTION MINERAL COMPLEMENTARY FEED FOR BOARS

PRESENTATION Bucket of 5kg (5 bags of 1 kg)

Mineral complementary feed for the feeding of boars.

Specially designed to ensure an optimal supply of micronutrients, vitamins and essential amino acids necessary to maximize sperm production and the nutritional requirements of boars.



SPECIFICATIONS:

-	IVIE	UJI I	ΓΙΟΝ

Calcium Carbonate, Monocalcium Phosphate, Sodium salt of butyric acid, Products of yeasts.

ANALYTICAL CONSTITUENTS

13.7 % Calcium

1.7 % Sodium

4.2 % Phosphorus

4.17 % Lysine

5.56 % Methionine

EP.BL.01 Página 1 de 3

Edic.: 03



ADDITIVES (per kg of product)

Vitamins, provitamins and chemically well-defined substances having similar effect:

560.000 IU Vitamin A (3a672a)

15.000 IU Vitamin D3 (3a671)

9.445 mg Vitamin E (3a700)

85 mg Vitamin K3 (3a710)

8.336 mg Vitamin C (3a300)

80 mg Vitamin B1 (3a821)

336 mg Vitamin B2 (3a825ii)

70 mg Vitamin B6 (pyridoxine chlorhydrate) (3a831)

1.3 mg Vitamin B12 (3a835)

1.250 mg Niacin (3a314)

560 mg D-calcium pantothenate (3a841)

123 mg Folic Acid (3a316)

22.220 mg Choline Chloride (3a890)

13.885 mg Betaine HCl (3a925)

7225 mg L- Carnitine (3a910)

Compounds of trace elements:

560 mg Iron (II) Carbonate (3b101)

14 mg Potassium Iodide (3b201)

290 mg Copper (II) chelate of glycine hydrate (solid) (3b413)

550 mg Manganese chelate of glycine hydrate (3b506)

830 mg Zinc chelate of glycine hydrate (solid) (3b607)

6.7 mg Selenomethionine (Sacch. Cerevisiae) (3b8.11)

Amino acids, its salts and analogues:

51.960 mg Lysine/L-Lysine mono chlorhydrate tecnically pure (3.2.3)

56.000 mg DL-Methionine (3c301)

32.160 mg L-Threonine (3c410)

8.400 mg L-Tryptophan (3c440)

Preservatives:

166.5 mg Citric Acid (1a330)

Antioxidants:

166.5 mg Butylated hydroxytoluene (BHT) (E 321)

166.5 mg Propyl Gallate (E310)

Anticaking agents:

100 g Sepiolite (E562)

4.9 g Silicic Acid (precipitated and dried) (E551a)

Substances for reduction of the contamination of feed by mycotoxins (aflatoxin B1):

75.000 mg Bentonite (1m558) ≥ 70% smectite (dioctahedral montmorillonite)

EP.BL.01 Página 2 de 3

Edic.: 03



Flavouring compounds:

15.500 mg Mix of flavours

INSTRUCTIONS FOR USE

Dose: 90 g ESPERMAPLUS per animal and day or administered in feed at 30kg/ton.

The total amount of bentonite must not exceed the maximum authorized content in the complete feed of 20,000 mg/kg.

INTERACTIONS AND INCOMPATIBILITIES:

Simultaneous use with water for drinking in which choline chloride has been added should be avoided. Simultaneous oral use with macrolides should be avoided.

STORAGE CONDITIONS

Keep in a cool (approx. 25°C), dry place away from light and in its original container.

Once opened, keep the container closed.

Best before 14 months from manufacture (see package)

EP.BL.01 Página 3 de 3