

PET DOCTOR CAGE CLEANER RTU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Reference number: 65132
Date of issue: 3/28/2018 Revision date: 11/18/2020 Supersedes version of: 3/28/2018 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : PET DOCTOR CAGE CLEANER RTU
Product code : 65132
Type of product : Detergent
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Use of the substance/mixture : Cleaning/washing agents and additives
Function or use category : Cleaning/washing agents and additives

Title	Use descriptors
	SU0, PC35, AISE SPERC 8a.1.a.v2

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

No additional information available

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.
EUH-statements : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5).
May produce an allergic reaction.
Child-resistant fastening : Not applicable
Tactile warning : Not applicable

2.3. Other hazards

No additional information available

PET DOCTOR CAGE CLEANER RTU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Terpene derivate	(CAS-No.) 8002-09-3	1 – 2.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
propan-2-ol; isopropyl alcohol; isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 – 2.5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44	1 – 2.5	Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area.
----------------------	----------------------------

PET DOCTOR CAGE CLEANER RTU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Belgium - Occupational Exposure Limits

Local name	Alcool isopropylique
Limit value (mg/m ³)	500 mg/m ³
Limit value (ppm)	200 ppm
Short time value (mg/m ³)	1000 mg/m ³
Short time value (ppm)	400 ppm

France - Occupational Exposure Limits

Local name	Alcool isopropylique
VLE (mg/m ³)	980 mg/m ³
VLE (ppm)	400 ppm

Germany - Occupational Exposure Limits (TRGS 900)

TRGS 900 Local name	Propan-2-ol
Occupational exposure limit value (mg/m ³)	500 mg/m ³
Occupational exposure limit value (ppm)	200 ppm
Limitation of exposure peaks (mg/m ³)	1000 mg/m ³
TRGS 900 Remark	DFG,Y

PET DOCTOR CAGE CLEANER RTU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Netherlands - Occupational Exposure Limits

Grenswaarde TGG 8H (mg/m ³)	650 mg/m ³
Grenswaarde TGG 15MIN (mg/m ³)	0 mg/m ³

United Kingdom - Occupational Exposure Limits

Local name	Propan-2-ol
WEL TWA (mg/m ³)	999 mg/m ³
WEL TWA (ppm)	400 ppm
WEL STEL (mg/m ³)	1250 mg/m ³
WEL STEL (ppm)	500 ppm

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)

Belgium - Occupational Exposure Limits

Local name	2-(2-Butoxyéthoxy)éthanol
Limit value (mg/m ³)	67.5 mg/m ³
Limit value (ppm)	10 ppm
Short time value (mg/m ³)	101.2 mg/m ³
Short time value (ppm)	15 ppm

France - Occupational Exposure Limits

Local name	2-(2-butoxyéthoxy) éthanol
VME (mg/m ³)	67.5 mg/m ³
VME (ppm)	10 ppm
VLE (mg/m ³)	101.2 mg/m ³
VLE (ppm)	15 ppm

Germany - Occupational Exposure Limits (TRGS 900)

TRGS 900 Local name	2-(2-Butoxyethoxy)ethanol
Occupational exposure limit value (mg/m ³)	67 mg/m ³
Occupational exposure limit value (ppm)	10 ppm
TRGS 900 Remark	EU,DFG,Y,11

Luxembourg - Occupational Exposure Limits

Local name	2-(2-butoxyéthoxy)éthanol
OEL TWA (mg/m ³)	67.5 mg/m ³
OEL TWA (ppm)	10 ppm
OEL STEL (mg/m ³)	101.2 mg/m ³
OEL STEL (ppm)	15 ppm

Netherlands - Occupational Exposure Limits

Local name	2-(2-Butoxyethoxy)ethanol
Grenswaarde TGG 8H (mg/m ³)	50 mg/m ³
Grenswaarde TGG 15MIN (mg/m ³)	100 mg/m ³
Remark (MAC)	H

United Kingdom - Occupational Exposure Limits

Local name	2-(2-Butoxyethoxy)ethanol
------------	---------------------------

PET DOCTOR CAGE CLEANER RTU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)

WEL TWA (mg/m ³)	67.5 mg/m ³
WEL TWA (ppm)	10 ppm
WEL STEL (mg/m ³)	101.2 mg/m ³
WEL STEL (ppm)	15 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Not applicable

Skin and body protection:

Not applicable

Respiratory protection:

No respiratory protection needed under normal use conditions

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
pH	: 6 – 8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 80 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1 g/cm ³
Solubility	: completely soluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: No data available
Explosive limits	: No data available

PET DOCTOR CAGE CLEANER RTU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Water (7732-18-5)

LD50 oral	> 90000 mg/kg bodyweight
LD50 dermal	> 90000 mg/kg bodyweight

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LD50 oral	4396 mg/kg bodyweight
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)

LD50 oral	5660 mg/kg bodyweight
LD50 dermal	2764 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 196 mg/l

Skin corrosion/irritation : Not classified
pH: 6 – 8
Serious eye damage/irritation : Not classified
pH: 6 – 8
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

PET DOCTOR CAGE CLEANER RTU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 fish 1	9640 mg/l
EC50 other aquatic organisms 1	13299 mg/l waterflea
EC50 other aquatic organisms 2	> 1000 mg/l

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	
LC50 fish 1	1300 mg/l
EC50 other aquatic organisms 1	> 1000 mg/l waterflea
EC50 other aquatic organisms 2	> 100 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Water (7732-18-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.38

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	
Partition coefficient n-octanol/water (Log Pow)	0.56

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

PET DOCTOR CAGE CLEANER RTU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation : Ingredient data sheet:

PET DOCTOR CAGE CLEANER RTU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Component	CAS-No.	%
Water	7732-18-5	≥10%
PINUS PALUSTRIS OIL	8002-09-3	1 - 10%
Dipropyleneglycol	34590-94-8	1 - 10%
Dipropyleneglycol	34590-94-8	1 - 10%
Isopropyl alcohol	67-63-0	1 - 10%
Butoxydiglycol	112-34-5	1 - 10%
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-, reaction products with sodium hydroxide		0.1 - 1%
Ethoxylated alcohol	61827-42-7	0.1 - 1%
1,2,3-Propanetriol(glycerin)	56-81-5	<0.1%
Propane-1,2-diol	57-55-6	<0.1%
1,2-Benzisothiazol-3(2H)-one	2634-33-5	<0.1%
Sodium hydroxide	1310-73-2	<0.1%
2-Aminoethanol	141-43-5	<0.1%

Detergent Regulation : Labelling of contents:

Component	%
non-ionic surfactants, anionic surfactants, aliphatic hydrocarbons	<5%
1,2-Benzisothiazol-3(2H)-one	

15.1.2. National regulations

Germany

Water hazard class (WGK)

: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

: None of the components are listed

SZW-lijst van mutagene stoffen

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

giftige stoffen – Ontwikkeling

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.

PET DOCTOR CAGE CLEANER RTU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5). May produce an allergic reaction.

Full text of use descriptors

AISE SPERC 8a.1.a.v2	Wide Dispersive Use in 'Down the Drain' cleaning and maintenance products (Consumers and Professionals)
PC35	Washing and cleaning products
SU0	Other

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.